



FIX DECK TAG TRAILERS

TRAILER

UBF2020
UBF2022
UBF2024

UBF2220
UBF2222
UBF2224

UBF2526



COVERAGE YOU CAN COUNT ON

2 YEAR WARRANTY

1 year standard comprehensive and 1 year extended warranty with 5 year structural at no additional cost. *Ask us for details.*

FLEXIBLE FINANCING

Custom financing solutions available to best suit your business. *Ask us for details.*

Worksite Tough. Operator Smart.

You asked, we delivered. The all-new Brandt Fix Deck Tag Trailers are purpose built to tackle the challenges you face, every single day.

① Higher Productivity

Get on the road faster with the versatility and speed of Brandt Tag Trailers.

- Standard D-rings spaced every 48", and optional additional D-rings spaced every 24", provide more load securement points.
- Optimized design delivers a 10% reduction in tare weight, resulting in the highest payload capacity in its class.
- Extended enclosed toolbox and chain basked come standard in the A-frame, offering convenient access and secure storage for essential supplies.

② Increased Uptime

High-quality construction and rapid connection points ensure maximum uptime.

- Customize your trailer to suit your needs with weld-on features suitable for unique applications.
- Air controls are protected in the frame, ensuring longer component life and easy operator access.

③ Lower Cost of Operation

Long-lasting components and reduced maintenance add up to serious savings.

- Premium powder coat finish ensures long-term durability, and available in customizable colours to suit your preferred style.
- Simplified electrical system features updated OEM harnessing and plug-and-play connections, eliminating the need for a junction box.
- High-quality components and strategically engineered components reduce maintenance and repair costs.

Powerful Value. **Delivered.**



FIX DECK TAG TRAILERS SPECIFICATIONS


BASE UNIT KEY SPECIFICATIONS




	UBF2020 UBF2022 UBF2024	UBF2220 UBF2222 UBF2224	UBF2526
RELIABILITY - RATED CAPACITY			
Frame Capacity (lb)	40,000	45,000	50,000
GVWR (lb)	44,900	53,900	60,700
DIMENSIONS			
Overall Length (ft)	32'6" 34'6" 36'6"		38'6"
Flat Deck Length (ft)	20' 22' 24'	20' 22' 24'	26'
Beavertail Length (ft)	6'		
A-frame Length (ft)	6'6"		
Deck Width (ft)	8'6"		
Loaded Deck Height (in)	34"	34.5"	34"
RAMPS			
Spring Assist Ramps 6' x 24", Self Cleaning 17° Slope	○	○	○
Air Ramps with knife edge, 7'6" x 38" 14° Slope	○	○	○
Bifold paver Air Ramps with a knife edge, 11" x 48" 11° Slope	○	○	○

FIX DECK TAG TRAILERS DIMENSIONS


UBF2022



UBF2224



UBF2526



FIX DECK TAG TRAILERS **FEATURES**



Engineered Beams

Cambered engineered beams enhance aesthetics and performance by reducing sag under heavy loads and providing tare weight savings.

Practical Design

Frequently used touchpoints including the steps, ramps, landing gear, toolbox, and tie-downs are thoughtfully designed to provide a practical and ergonomic operator experience.

Double Break Beavertail

The 6' double break beavertail reduces the loading angle, providing a smoother and more controlled experience when loading tracked equipment.

For more information:
 Call us at **1-888-227-2638**
 Email us at **sales@brandt.ca**
 Or visit us at **brandt.ca/trailers**

© Brandt Industries Ltd. All rights reserved. The Brandt name and logo are trademarks of Brandt Industries Ltd., used under license. All product information and specifications are subject to change without notification. Printed in Canada. Revised 10/2025-CU